

# Nutrition Management of ADHD

By Wendy Phillips, MS, RD, CNSC, CLE, FAND

## References

1. Phillips W. Nutrition management of children with attention deficit hyperactivity disorder. *ICAN*. 2014;6(6):320-326.

### **Anthropometrics**

1. Waring ME, Lapane KL. Overweight in children and adolescents in relation to attention deficit/hyperactivity disorder: results from a national sample. *Pediatrics*. 2008;122(1):e1-e6.

2. Poulton A. Growth on stimulant medication; clarifying the confusion: a review. *Arch Dis Child*. 2005;90(8):801-806.

3. Ptacek R, Kuzelova H, Paclt I, Zukov I, Fisher S. ADHD and growth: anthropometric changes in medicated and non-medicated ADHD boys. *Med Sci Monit*. 2009;15(12):CR595-CR599.

4. Agranat-Meged AN, Deitcher C, Goldzweig G, Leibenson L, Stein M, Galili-Weisstub E. Childhood obesity and attention deficit/hyperactivity disorder: a newly described comorbidity in obese hospitalized children. *Int J Eat Disord*. 2005;37(4):357-359.

5. Holtkamp K, Konrad K, Müller B, et al. Overweight and obesity in children with attention deficit/hyperactivity disorder. *Int J Obes Relat Metab Disord*. 2004;28(5):685-689.

6. Lam LT, Yang L. Overweight/obesity and attention deficit and hyperactivity disorder tendency among adolescents in china. *Int J Obes*. 2007;31(4):584-590.

7. Bandini LG, Curtin C, Hamad C, Tybor DJ, Must A. Prevalence of overweight in children with developmental disorders in the continuous National Health and Nutrition Examination Survey 1999-2002. *J Pediatr*. 2005;146(6):738-743.

8. Troiano RP, Flegal KM. Overweight children and adolescents: description, epidemiology, and demographics. *Pediatrics*. 1998;101(3 Pt 2):497-504.

9. Hubel R, Jass J, Marcus A, Laessle RG. Overweight and basal metabolic rate in boys with attentiondeficit/hyperactivity disorder. *Eat Weight Disord*. 2006;11(3):139-146.

10. Altafas JR. Prevalence of attention deficit/hyperactivity disorder among adults in obesity treatment. *BMC Psychiatry*. 2002;2:9.

11. Curtin C, Bandini LG, Perrin EC, Tybor DJ, Must A. Prevalence of overweight in children and adolescents with attention deficit hyperactivity disorder and autism spectrum disorders: a chart review. *BMC Pediatr*. 2005;5:48.

# Nutrition Management of ADHD

By Wendy Phillips, MS, RD, CNSC, CLE, FAND

## **Diagnosis and Medical Treatment**

1. Volkow ND, Wang GJ, Newcorn J, et al. Brain dopamine transporter levels in treatment and drug naïve adults with ADHD. **Neuroimage**. 2007;34(3):1182-1190.
2. American Psychiatric Association. **Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition**. Arlington, VA: American Psychiatric Association, 2013.
3. Banaschewski T, Hollis C, Oosterlaan J, et al. Towards an understanding of unique and shared pathways in the psychopathophysiology of ADHD. **Dev Sci**. 2005;8(2):132-140.
4. Russell G, Rodgers LR, Ukoumunne OC, Ford T. Prevalence of parent-reported ASD and ADHD in the UK: findings from the Millennium Cohort Study. **J Autism Dev Disord**. 2014;44(1):31-34.
5. Volkow ND, Fowler JS, Wang G, Ding Y, Gatley SJ. Mechanism of action of methylphenidate: insights from PET imaging studies. **J Atten Disord**. 2002;6(Suppl 1):S31-S43.
6. Children's Learning Clinic. University of Virginia Curry School of Education website. <http://curry.virginia.edu/research/labs/childrens-learning-clinic>
7. Methylphenidate. MedlinePlus website. <http://www.nlm.nih.gov/medlineplus/druginfo/meds/a682188.html>. Updated February 15, 2016.
8. Healthy Bites: ADHD and diet. Brain Balance Achievement Centers website. <http://www.brainbalancecenters.com/blog/2013/01/healthy-bites-adhd-and-diet/>. Published January 2013. Accessed July 2, 2014.
9. Pliszka S; AACAP Work Group on Quality Issues. Practice parameter for the assessment and treatment of children and adolescents with attention-deficit/hyperactivity disorder. **J Am Acad Child Adolesc Psychiatry**. 2007;46(7):894-921.

## **Nutrients**

1. The Feingold diet for ADHD. The Feingold Association of the United States website. <http://www.feingold.org/>. Updated 2016.
2. Fitch C, Keim KS; Academy of Nutrition and Dietetics. Position of the Academy of Nutrition and Dietetics: use of nutritive and nonnutritive sweeteners. **J Acad Nutr Diet**. 2012;112(5):739-758.
3. Wolraich ML, Wilson DB, White JW. The effect of sugar on behavior or cognition in children. **JAMA**. 1995;274(20):1617-1621.

## Nutrition Management of ADHD

By Wendy Phillips, MS, RD, CNSC, CLE, FAND

4. Bellisle F. Effects of diet on behaviour and cognition in children. *Br J Nutr*. 2004;92(Suppl 2):S227-S232.
5. Frensham LJ, Bryan J, Parletta N. Influences of micronutrient and omega-3 fatty acid supplementation on cognition, learning, and behavior: methodological considerations and implications for children and adolescents in developed societies. *Nutr Rev*. 2012;70(10):594-610.
6. Richardson AJ. Omega-3 fatty acids in ADHD and related neurodevelopmental disorders. *Int Rev Psychiatry*. 2006;18(2):155-172.
7. Bos DJ, Oranje B, Veerhoek ES, et al. Reduced symptoms of inattention after dietary omega-3 fatty acid supplementation in boys with and without Attention Deficit/Hyperactivity Disorder. *Neuropsychopharmacology*. 2015;40(10):2298-2306.
8. Patrick RP, Ames BN. Vitamin D and the omega-3 fatty acids control serotonin synthesis and action, part 2: relevance for ADHD, bipolar disorder, schizophrenia, and impulsive behavior. *FASEB J*. 2015;29(6):2207-2222.
9. Barragán E, Breuer D, Döpfner M. Efficacy and safety of omega-3/6 fatty acids, methylphenidate, and a combined treatment in children with ADHD. *J Atten Disord*. 2017;21(5):433-441.
10. Sagiv SK, Thurston SW, Bellinger DC, Amarasiriwardena C, Korrick SA. Prenatal exposure to mercury and fish consumption during pregnancy and attention-deficit/hyperactivity disorder-related behavior in children. *Arch Pediatr Adolesc Med*. 2012;166(12):1123-1231.
11. Gillies D, Sinn JKh, Lad SS, Leach MJ, Ross MJ. Polyunsaturated fatty acids (PUFA) for attention deficit hyperactivity disorder (ADHD) in children and adolescents. *Cochrane Database Syst Rev*. 2012;(7):CD007986.
12. Sonuga-Barke EJ, Brandeis D, Cortese S, et al. Nonpharmacological interventions for ADHD: systematic review and meta-analyses of randomized controlled trials of dietary and psychological treatments. *Am J Psychiatry*. 2013;170(3):275-289.
13. Sinn N. Nutritional and dietary influences on attention deficit hyperactivity disorder. *Nutr Rev*. 2008;66(10):558-568.
14. de Theije CG, Bavelaar BM, Lopes da Silva S, et al. Food allergy and food-based therapies in neurodevelopmental disorders. *Pediatr Allergy Immunol*. 2014;25(3):218-226.
15. Kamal M, Bener A, Ehlayel MS. Is high prevalence of vitamin D deficiency a correlate for attention deficit hyperactivity disorder? *Attn Defic Hyperact Disord*. 2014;6(2):73-78.

## Nutrition Management of ADHD

By Wendy Phillips, MS, RD, CNSC, CLE, FAND

### **Behavioral Nutrition Therapy**

1. Guerrieri R, Nederkoorn C, Jansen A. The interaction between impulsivity and a varied food environment: its influence on food intake and overweight. *Int J Obesity (Lond)*. 2008;32(4):708-714.
2. Donahoo W, Wyatt HR, Kriehn J, et al. Dietary fat increases energy intake across the range of typical consumption in the United States. *Obesity (Silver Spring)*. 2008;16(1):64-69.
3. Ptacek R, Kuzelova H, Stefano GB, et al. Disruptive patterns of eating behaviors and associated lifestyles in males with ADHD. *Med Sci Monit*. 2014;20:608-613.

### **Allergies, Hypersensitivities, and ADHD**

1. Chida Y, Hamer M, Steptoe A. A bidirectional relationship between psychosocial factors and atopic disorders: a systematic review and meta-analysis. *Psychosom Med*. 2008;70(1):102-116.
2. Meldrum SJ, D'Vaz N, Dunstan JA, et al. Allergic disease in the first year of life is associated with differences in subsequent neurodevelopment and behaviour. *Early Hum Dev*. 2012;88(7):567-573.
3. Biederman J, Milberger S, Faraone SV, Lapey KA, Reed ED, Seidman LJ. No confirmation of Geschwind's hypothesis of associations between reading disability, immune disorders, and motor preference in ADHD. *J Abnorm Child Psychol*. 1995;23(5):545-552.
4. Hammerness P, Monuteaux MC, Faraone SV, Gallo L, Murphy H, Biederman J. Reexamining the familial association between asthma and ADHD in girls. *J Atten Disord*. 2005;8(3):136-143.
5. McGee R, Stanton WR, Sears MR. Allergic disorders and attention deficit disorder in children. *J Abnorm Child Psychol*. 1993;21(1):79-88.
6. Gaitens T, Kaplan BJ, Freigang B. Absence of an association between IgE-mediated atopic responsiveness and ADHD symptomatology. *J Child Psychol Psychiatry*. 1998;39(3):427-431.
7. Schmitt J, Buske-Kirschbaum A, Roessner V. Is atopic disease a risk factor for attention deficit/hyperactivity disorder? A systematic review. *Allergy*. 2010;65(12):1506-1524.
8. Suwan P, Akaramethathip D, Noipayak P. Association between allergic sensitization and attention deficit hyperactivity disorder (ADHD). *Asian Pac J Allergy Immunol*. 2011;29(1):57-65.
9. Sinha D, Efron D. Complementary and alternative medicine use in children with attention deficit hyperactivity disorder. *J Pediatr Child Health*. 2005;41(1-2):23-26.

## Nutrition Management of ADHD

By Wendy Phillips, MS, RD, CNSC, CLE, FAND

10. Carter CM, Urbanowicz M, Hemsley R, et al. Effects of a few food diet in attention deficit disorder. **Arch Dis Child**. 1993;69(5):564-568.

11. Egger J, Carter CM, Graham PJ, Gumley D, Soothill JF. Controlled trial of oligoantigenic treatment in the hyperkinetic syndrome. **Lancet**. 1985;1(8428):540-545.

12. Pelsser LM, Frankena K, Toorman J, et al. Effects of a restricted elimination diet on the behavior of children with attention-deficit hyperactivity disorder (INCA study): a randomised controlled trial. **Lancet**. 2011;377(9764):494-503.

13. Medical history scholar revisits KP allergist Feingold's hyperactivity diet. Kaiser Permanente website. <http://kaiserpermanentehistory.org/tag/feingold-diet/>. Updated September 15, 2011. Accessed July 2, 2014.

14. Lok KY, Chan RS, Lee VW, et al. Food additives and behavior in 8- to 9-year old children in Hong Kong: a randomized, double-blind, placebo-controlled trial. **J Dev Behav Pediatr**. 2013;34(9):642-650.

15. McCann D, Barrett A, Cooper A, et al. Food additives and hyperactive behaviour in 3-year-old and 8/9-year-old children in the community: a randomised, double-blinded, placebo-controlled trial. **Lancet**. 2007;370(9598):1560-1567.