



Earn
1 CPEU

Exclusive Webinar Presentation

An In-Depth Look Into the Dietary Guidelines



Presented by **Toby Amidor, MS, RD, CDN**

Toby Amidor, MS, RD, CDN



Disclosures:

- ❖ **Ambassador to National Dairy Counsel**
- ❖ **Consultant to Beef Expert Bureau**
- ❖ **Member of Dannon Yogurt Board**

Learning Objectives

1. Understand the process of how the Dietary Guidelines are created.
2. Explain why modifications were made to the Dietary Guidelines.
3. List three noteworthy changes to the Dietary Guidelines.
4. Communicate healthy eating messages to their clients that are consistent with the Dietary Guidelines.

Part 1: The Backstory

The Reality


- About half of all Americans adults have one or more preventable chronic disease
 - ⦿ 117 million individuals
- About 2/3 of US adults are overweight/obese
 - ⦿ ~155 million individuals
- These conditions have been highly prevalent for >2 decades
- Poor dietary patterns, overconsumption of kcals, and physical inactivity directly contribute to these disorders

The Reality

- Individual nutrition & physical activity behaviors are strongly influenced by:
 - ⦿ Individuals
 - ⦿ Social surrounding
 - ⦿ Organizational systems
 - ⦿ Environmental systems

- Positive changes in all of the above could ultimately improve health outcomes

History of the Dietary Guidelines



Published jointly: US Dept of Health & Human Services + USDA

- ◉ Intended for Americans ≥ 2 years
- ◉ The Dietary Guidelines Advisory Committee (DGAC):
 - Nationally recognized health & nutrition experts
 - Review, updated, and published every 5 years
- ◉ Scientific Report of the 2015 DGAC:
 - Written as the basis for developing the *Dietary Guidelines for Americans* policy

How the DGA Are Established

FEB
19

The DGAC Report is submitted to the Federal Government. It contains recommendations & rationales to consider as the official DGA are developed.

45
DAYS

Speak Up!

For public comment. Submit yours [HERE](#) by 4/8/2015.


2

Federal Agencies (USDA & HHS) jointly develop and publish the DGA after considering the DGAC Report, public comments & Federal Agency comments.



- Written comments opened until 5/8/15
- HHS and USDA hosted a public oral comment meeting on 3/24/15
- Finally, the long awaited release of the guidelines

Dietary Guidance Milestones



Slide courtesy of Roger Clemens, DrPH, CFS, CNS, FACN, FIFT, FIAFST

History of Dietary Messages

Goals:

- ① Energy balance to avoid overweight
- ② Increase consumption of complex CHO and “naturally occurring sugars”
- ③ Reduce consumption of refined and processed sugars, total fat, sat fat, cholesterol, and sodium
- ④ Increase consumption of fruits, vegetables, & whole grains
- ⑤ Decrease consumption of
 - Refined and processed sugars
 - Foods high in total fat and animal fat
 - Eggs, butterfat and high-cholesterol foods
 - Salt and foods high in salt
 - Choose low-fat and non-fat dairy



Senator George McGovern (1977)
Chairman, Senate Nutrition
Committee



Senators George McGovern and
Robert Dole (2008)
World Food Prize Laureates

Recommendations Over 30 Years

Year	Weight	Sugar	Fat
1980	Maintain ideal weight	Avoid too much	Avoid too much
1985	Maintain desirable weight	Avoid too much	Avoid too much
1990	Maintain healthy weight	Use only in moderation	Chose diet low in fat
1995	Improve your weight	Choose diet moderate in sugars	Choose diet low in fat
2000	Aim for a healthy weight	Choose foods to moderate sugar intake	Choose diet low in fat
2005	Manage body weight	No guidance	Choose fats wisely
2010	Balanced calories to manage weight	Reduce added sugars	Consume <10% cals from sat fat
2015	Achieve and/or maintain a healthy body weight	Limit calories from added sugar	Limit calories from saturated fats

Why Are the Guidelines Important?

Dietary Guidelines address significant nutrition-related health issues facing the US population:

- Overweight, obesity and other diet-related chronic disease
 - CVD, Type 2 DM, cancer
- Less than optimal dietary patterns in the US
 - Contribute to poor pop health and high chronic disease risk
- Food insecurity
 - Availability of nutritionally adequate foods limited or uncertain
 - >49 million in US, including 9 million children



Why Are the Guidelines Important?

- Basis of federal nutrition policy, education, outreach, and food assistance programs
 - Used by consumers, industry, nutrition educators, and health professionals
- They influence the DG other countries will have
- All federal dietary guidance for the public is required to be consistent with the DG
 - School policy + school lunch program
 - SNAP
 - WIC

Dietary Guidelines for Americans: The Core of Nutrition Policy




1980




1985




1990




1995



2000



2005



2010

Slide courtesy of Roger Clemens, DrPH, CFS, CNS, FACN, FIFT, FIAFST

Part 2. Proposed Changes

US Trends in Nutrient Intake & Health

Data from:

- ▣ **What We Eat in America** survey
 - Part of National Health and Nutrient Examination Survey
- ▣ Examination of health conditions that may have nutritional origins



Shortfall Food Groups



Under-consumed food groups:

- ⦿ **Vegetables:** 90% of the US pop does not meet daily vegetable intake recommendations
- ⦿ **Fruit:** Only 15% of US pop meets the daily fruit intake recommendation
- ⦿ **Whole grains:** Across all ages and both sexes, nearly 100% of the pop consumes amounts below the recommended intake levels
- ⦿ **Dairy:** Age-related decline in intake from adolescents with more than 80% of the entire US pop not meeting the daily recommended dairy intake

Results in Nutrient Shortfalls



- ▣ Nutrients under-consumed relative to Estimated Average Requirements or Adequate Intake levels per IOM
 - Vitamins A, D, E, C, folate, calcium, magnesium, fiber, potassium
- ▣ Females (adolescent + pre-menopausal): iron
- ▣ Calcium, Vitamin D, fiber, potassium:
 - 'nutrients of public health concern'
 - Underconsumption linked to adverse health effects

Recommendations for Shortfalls

- ▣ Composition of many **food categories** can be improved to increase intake of vegetables, whole grains, and under consumed nutrients:
 - i.e. burgers, sandwiches, desserts, beverages
- ▣ Take advantage of more opportunities to enrich meal choices with important **food groups** in all settings
 - Home meals, restaurants, schools



Overconsumed Nutrients

- ▣ Nutrients overconsumed relative to Tolerable Upper Intake Levels per IOM or maximum standards:
 - Saturated fat
 - Sodium
 - Refined grains
 - Added sugars



- 90 % of males and females in all age groups exceed the recommended daily limits of solid fats and added sugars
- Nearly 100% of boys and girls ages 1-3 and 4-8 exceed recommended limit for solid fats and added sugars

Does Where You Purchase Matter?

- The US purchases food for a variety of locations
 - ⊙ Supermarket
 - ⊙ Convenience stores
 - ⊙ Schools
 - ⊙ Workplace
- DGAC report determined no matter where food is obtained, the diet quality of the US pop does not meet the recommendations (the same over and under consumed nutrients and food groups)

Total Plate vs. Single Nutrient

- ▣ Individual components of food, like saturated fat or sugar, should not be demonized
- ▣ Look at the entire diet as a whole
- ▣ Ask client:
 - ⦿ Are portions appropriate
 - ⦿ Are there enough vegetables?
 - ⦿ Are you skipping meals?



Cholesterol

“Available evidence shows **no appreciable relationship** between consumption of **dietary cholesterol** and **serum cholesterol**, consistent with the conclusions of the AHA/ACC report”

- Recommended 2015 guidelines not include previous recommendation to limit intake <300mg/day
- Cholesterol is not a nutrient of concern for overconsumption



Sustainability

- DGAC report suggests a diets higher in plant-based foods and lower in animal-based foods are more health promoting and associated with less environmental impact than the current US diets

- Suggested lower environmental impact diets:
 - [Healthy U.S. style-pattern](#)
 - [DASH](#)
 - [Mediterranean-style pattern](#)
 - [Vegetarian pattern](#)

- Due to its higher intake of animal-based foods, the average US diet has a larger environmental impact (i.e. increasing greenhouse gases, land/water/energy use) compared to suggested diets

- [Note: no food group needs to be eliminated completely to improve sustainability](#)



Sustainability: Fish

- Seafood important part of several recommended dietary patterns
- Seafood industry rapidly expanding
- Safety concern of farm-raised vs wild-caught seafood – but **both** are needed in order to support meeting seafood recommendations



Part 3: 2015 Dietary Guidelines for Americans

5 Overarching Guidelines

- 1) Follow a healthy *eating pattern* across the lifespan
- 2) Focus on variety, nutrient-dense food, and amount
- 3) Limit calories from added sugars and saturated fats, and reduce sodium
- 4) Shift to healthier food and beverage choices
- 5) Support healthy eating pattern for all

Components of Healthy Eating Patterns

A healthy eating pattern includes:

- ▣ A variety of vegetables from all the subgroups
 - ▣ Dark green, red and orange, legumes, starchy, and other
- ▣ Fruit, especially whole fruit
- ▣ Grains, at least half which are whole grains
- ▣ Fat-free or low-fat dairy, including milk, yogurt, cheese and/or fortified soy beverages
- ▣ A variety of protein foods, including seafood, lean meats and poultry, eggs, legumes and nuts, seeds, and soy proteins
- ▣ Oils



Components of Healthy Eating Patterns

A healthy eating plan limits:

- ▣ **Saturated Fats:** Consume less than 10% calories/day
- ▣ **Added Sugars:** Consume less than 10% of calories/day
- ▣ **Sodium:** Consume less than 2,300 mg/day
- ▣ **Alcohol:** if consumed, then in moderation



Table A9-1. Alcoholic Drink-Equivalents of Select Beverages

Drink Description	Drink-Equivalents ^b
Beer, beer coolers, and malt beverages	
12 fl oz at 4.2% alcohol ^c	0.8
12 fl oz at 5% alcohol (reference beverage)	1
16 fl oz at 5% alcohol	1.3
12 fl oz at 7% alcohol	1.4
12 fl oz at 9% alcohol	1.8
Wine	
5 fl oz at 12% alcohol (reference beverage)	1
9 fl oz at 12% alcohol	1.8
5 fl oz at 15% alcohol	1.3
5 fl oz at 17% alcohol	1.4
Distilled spirits	
1.5 fl oz 80 proof distilled spirits (40% alcohol) (reference beverage)	1
Mixed drink with more than 1.5 fl oz 80 proof distilled spirits (40% alcohol)	> 1 ^d

Drink Equivalents
Appendix 9 DGA

Alcohol Consumption

Drink equivalents = (ABV%*fl oz consumed)/0.6 fl oz

Example: Light Beer = 4.2% ABV

Drink equivalents = (0.042*12 fl oz)/0.6 fl oz

Drink equivalents = 0.84

Healthy Physical Activity Pattern

In addition to consuming a healthy eating pattern, physical activity guidelines should be met.

Age	Recommendations
6-17 years	<ul style="list-style-type: none">• 60 minutes or more• At least 3 days/week• Include aerobic, muscle strengthening, bone strengthening• Enjoyable and offer variety
18-64 years	<ul style="list-style-type: none">• Avoid inactivity.• For substantial health benefits, at least 150 minutes/week of moderate-intensity, or 75 minutes of vigorous-intensity aerobic physical activity/week• For additional and more extensive health benefits, 300 minutes/week of moderate-intensity, or 150 minutes/week of vigorous-intensity aerobic physical activity• Include muscle-strengthening activities on 2+ days/week
65+ years	<ul style="list-style-type: none">• Follow adult patterns keeping safety in mind

Federal Physical Activity Resources

Program/Initiative	Lead Office	Website
Physical Activity Guidelines for Americans	Office of Disease Prevention & Health Promotion (ODPHP)	http://health.gov/paguidelines
Healthfinder.gov (consumer)	ODPHP	www.healthfinder.gov
Lets Move!	Office of the First Lady	www.letsmove.gov
I Can Do It, You Can Do It	President's Council on Fitness, Sports & Nutrition (PCFSN)	www.fitness.gov
The President's Challenge	PCFSN	www.presidentschallenge.org
Physical Activity Guidelines for Americans Youth Toolkit	CDC	www.cdc.gov/healthyschools/physicalactivity/guidelines.htm
Go4Life (focused on older adults)	NIH National Institute on Aging	https://go4life.nia.nih.gov

Healthy Eating Pattern: US-Style

- ▣ Based on food guides USDA developed over past 30 years
- ▣ No change since 2010

Food Group	Servings (2000 calories)
Vegetables (c-eq/day) <ul style="list-style-type: none">• Dark-green vegetables (c-eq/wk)• Red & orange vegetables (c-eq/wk)• Legumes (c-eq/wk)• Starchy Vegetables (c-eq/wk)• Other vegetables (c-eq/wk)	2½ <ul style="list-style-type: none">• 1½• 5½• 1½• 5• 4
Fruits (c-eq/day)	2
Grains (oz-eq/day) <ul style="list-style-type: none">• Whole grains (oz-eq/day)• Refined grains (oz-eq/day)	6 <ul style="list-style-type: none">• 3• 3

Healthy Eating Pattern: US-Style

Food Group	Servings
Dairy (c-eq/day)	3
Protein Foods (oz-eq/day) <ul style="list-style-type: none">• Seafood (oz-eq/wk)• Meats, poultry, eggs (oz-eq/wk)• Nuts, seeds, soy products (oz-eq/wk)	5½ <ul style="list-style-type: none">• 8• 26• 5
Oils (g/day)	27
Limit on Calories for Other Uses (% of calories)	14

Cup and Ounce Equivalents

Food	Amount
<ul style="list-style-type: none">• ½ cup green beans• 1 cup spinach	½ cup-eq vegetables
<ul style="list-style-type: none">• ½ cup strawberries• ¼ cup raisins	½ cup-eq fruit
<ul style="list-style-type: none">• ¾ cup 100% OJ	¾ cup-eq fruit
<ul style="list-style-type: none">• 1 slice bread• ½ cup cooked brown rice	1 oz-eq grains
<ul style="list-style-type: none">• 6-oz fat-free yogurt• 1½ oz cheddar cheese	1 cup-eq dairy
<ul style="list-style-type: none">• 2 large eggs• 2T peanut butter• 1 oz almonds	2 oz-eq protein

Healthy Eating Pattern: US-Style

Guidelines specify:


- ❑ Fresh, frozen, canned count towards **fruit and vegetables**.
- ❑ Dried and 100% juice count towards **fruit and vegetables**.
- ❑ Most **dairy** choices should be fat-free or low-fat.
- ❑ **Meats and poultry** should be lean or low-fat and nuts unsalted.
- ❑ Legumes count as part of **protein and vegetables**, but should be counted in one group only.

Intake in US compared to recommendation

Food Group or Dietary Component

Intake Below Recommendation or Above Limit

Intake At/Above Recommendation or Below Limit



About Seafood

- ▣ Recommendation: 8 oz/week
- ▣ Average 250 mg/day EPA and DHA associated with lower risk of CVD



- ▣ Seafood higher in EPA/DHA and lower in mercury recommended
 - ▣ Salmon
 - ▣ Anchovies
 - ▣ Herring
 - ▣ Sardines
 - ▣ Pacific oysters
 - ▣ Trout
 - ▣ Atlantic/Pacific mackerel

About Meat

- ▣ Protein intake is marginal with many groups
 - ▣ As many as 45% of Americans >1 year fail to meet protein recommendations
- ▣ A healthy dietary pattern consists of **lean meat**
- ▣ There is **confusion** surrounding red meat



About Meat

The Committee reviewed evidence

- ⦿ Variability of the **food grouping**, especially in the meat group



- ▣ For example, studies defined “total meat” as:
 - ⦿ Study A: Meat, sausage, fish, and eggs
 - ⦿ Study B: Red meat, processed meat, and poultry
 - ⦿ Study C: Other combinations
- ▣ Lean meats were not consistently defined or handled similarly between studies, so could not be parsed out

About Meat

NHANES data reveals:

- ▣ 10% or less of saturated fat and total fat in the American diet comes from beef
- ▣ 5% of calories in the American diet come from beef
- ▣ Despite higher intakes of meat over the past several decades, reports indicate that the proportion in total and saturated fat from meat, poultry and fish has slowly declined

Reference:

<http://www.usda.gov/documents/usda-factbook-2001-2002.pdf>



Defining “Lean Meat”

- Over 66% of beef cuts meet the guidelines for “lean”
- Thanks to increased trimming practices, the external fat in retail cuts has decreased by 80% in the past 20 yrs
- Lean defined by USDA and FDA for food label use:
 - Less than 10% fat by weight, or less than 10g of fat/100 g

Examples:

- ✓ 95% lean ground beef, cooked
- ✓ broiled beef steak, lean only eaten
- ✓ baked pork chop, lean only eaten
- ✓ roasted chicken breast or leg, no skin eaten
- ✓ smoked/cured ham, lean only eaten

About Dietary Fats



- Oils part of healthy eating pattern due to high vitamin E and fatty acids
- Oils should replace solid fats
- Coconut, palm kernel, and palm oils are called oils because they come from plants
 - Solid or semi-solid at room temp due to high content of SCFA
 - Considered solid fat for nutritional purposes

Healthy Eating Pattern: Mediterranean-Style Eating Pattern

- ▣ Adopted from the Healthy US-Style Pattern
- ▣ Groups modified to more closely reflect eating patterns associated with positive health outcomes in the Mediterranean
- ▣ More fruits and seafood, less dairy compared with US-Style Pattern
 - ▣ **Less calcium and vitamin D** due to less dairy



Food Group	Servings (2000 calories)
Vegetables (c-eq/day) <ul style="list-style-type: none"> • Dark-green vegetables (c-eq/wk) • Red & orange vegetables (c-eq/wk) • Legumes (c-eq/wk) • Starchy Vegetables (c-eq/wk) • Other vegetables (c-eq/wk) 	2½ <ul style="list-style-type: none"> • 1½ • 5½ • 1½ • 5 • 4
Fruits (c-eq/day)	2½ (US=2)
Grains (oz-eq/day) <ul style="list-style-type: none"> • Whole grains (oz-eq/day) • Refined grains (oz-eq/day) 	6 <ul style="list-style-type: none"> • 3 • 3
Dairy (c-eq/day)	2 (US=3)
Protein Foods (oz-eq/day) <ul style="list-style-type: none"> • Seafood (oz-eq/wk) • Meats, poultry, eggs (oz-eq/wk) • Nuts, seeds, soy products (oz-eq/wk) 	6½ (US=5½) <ul style="list-style-type: none"> • 15 (US=8) • 26 • 5
Oils (g/day)	27
Limit on Calories for Other Uses (% of calories)	13 (US=14)

Healthy Eating Pattern: Vegetarian

- ▣ Used NHANES data from self-identified vegetarians to determine eating patterns
- ▣ Meets the same nutrient and Dietary Guideline standards as the Healthy US-Style Pattern
 - ▣ Amount of soy products, legumes, nuts, seeds, and whole grains increased
 - ▣ Amount of meat, poultry, and seafood eliminated
 - ▣ Dairy and egg included



Food Group	Servings (2000 calories)
Vegetables (c-eq/day) <ul style="list-style-type: none"> • Dark-green vegetables (c-eq/wk) • Red & orange vegetables (c-eq/wk) • Legumes (c-eq/wk) • Starchy Vegetables (c-eq/wk) • Other vegetables (c-eq/wk) 	2½ <ul style="list-style-type: none"> • 1½ • 5½ • 1½ • 5 • 4
Fruits (c-eq/day)	2
Grains (oz-eq/day) <ul style="list-style-type: none"> • Whole grains (oz-eq/day) • Refined grains (oz-eq/day) 	6½ (US=6) <ul style="list-style-type: none"> • 3½ (US=3) • 3
Dairy (c-eq/day)	3
Protein Foods (oz-eq/day) <ul style="list-style-type: none"> • Eggs (oz-eq/wk) • Legumes (oz-eq/wk) • Soy products (oz-eq/wk) • Nuts, seeds(oz-eq/wk) 	3½ (US=5½) <ul style="list-style-type: none"> • 3 • 6 • 8 • 7
Oils (g/day)	27
Limit on Calories for Other Uses (% of calories)	15 (US=14)

Hidden Components in Eating Patterns



Added Sugars

- WHO: Maximum 10% calories/day of added sugar
- Evidence suggests eating patterns with lower amounts of added sugar are associated with:
 - Reduced risk of CVD
 - Reduced risk of obesity
 - Reduced risk of Type-2 diabetes
 - Reduced risk of some forms of cancer


■ Recommended Maximum Limit

○ Average Intake

Average Intakes of Added Sugars



Added Sugars



Added Sugars



- Two main sources of added sugar in US:
 - Sugar-sweetened beverages
 - Snacks and sweets

- Nutrient-dense foods where sugar naturally present to enhance palatability:
 - Fruit (i.e. cranberries)
 - Vegetables (i.e. rhubarb)

- Can also be added to whole grain breakfast cereals or fat-free yogurt as long as meets criteria for added sugar

Proposed new Nutrition Facts Panel

Current

Nutrition Facts			
Serving Size 2/3 cup (55g)			
Servings Per Container About 8			
Amount Per Serving			
Calories 230		Calories from Fat 40	
		% Daily Value*	
Total Fat 8g			12%
Saturated Fat 1g			5%
Trans Fat 0g			
Cholesterol 0mg			0%
Sodium 160mg			7%
Total Carbohydrate 37g			12%
Dietary Fiber 4g			16%
Sugars 1g			
Protein 3g			
Vitamin A 10%			
Vitamin C 8%			
Calcium 20%			
Iron 45%			
* Percent Daily Values are based on a 2,000 calorie diet. Your daily value may be higher or lower depending on your calorie needs.			
	Calories:	2,000	2,500
Total Fat	Less than	65g	80g
Sat Fat	Less than	20g	25g
Cholesterol	Less than	300mg	300mg
Sodium	Less than	2,400mg	2,400mg
Total Carbohydrate		300g	375g
Dietary Fiber		25g	30g



Revised

Nutrition Facts	
8 servings per container	
Serving size	2/3 cup (55g)
Amount per 2/3 cup	
Calories	230
% DV*	
12%	Total Fat 8g
5%	Saturated Fat 1g
	Trans Fat 0g
0%	Cholesterol 0mg
7%	Sodium 160mg
12%	Total Carbs 37g
14%	Dietary Fiber 4g
	Sugars 1g
	Added Sugars 0g
	Protein 3g
10%	Vitamin D 2mcg
20%	Calcium 260mg
45%	Iron 8mg
5%	Potassium 235mg
* Footnote on Daily Values (DV) and calories reference to be inserted here.	

Caffeine

- ▣ Previously unexamined area
- ▣ Stimulant
- ▣ Evidence shows consumption of 3-5 cups of coffee/day (or up to 400mg/day caffeine) not associated with increased long-term health risks
- ▣ Consistent evidence indicates coffee consumption associated with reduced risk of diabetes (type 2) and CVD
- ▣ Moderate evidence for protective association between coffee intake and Parkinson's disease



Caffeine

- If caffeine added to a food, it must be listed under ingredient list
- Most caffeine comes from coffee, tea, and soda
- Limit consumption of high-caffeine energy drinks
- Be weary of:
 - Added calories (milk, cream, sugar, dairy substitutes)
 - Safety of high caffeine (>400mg/day) intake
 - Energy drinks + alcoholic beverage pairings

Low/ No Calorie Sweeteners

- Replacing added sugars with high-intensity sweeteners may reduce calorie intake in the short-term, yet questions remain about their effectiveness as a long-term weight management strategy.
- US approved high-intensity sweeteners:
 - Saccharin
 - Aspartame
 - Acesulfame potassium (Ace-K)
 - Sucralose
- Based on the available scientific evidence, these high-intensity sweeteners have been determined to be safe for the general population.



Part 4: Recommendations into Actions


How Should We Use the Guidelines?

- Gov't use DG to develop research-based consumer messages for use by public and health educators
- The key to success in the DG lies in the ability to communicate them effectively to consumers
- Consumers want
 - Specific actions they can relate to, individualize and incorporate into their lifestyle
 - Positive information to keep them motivated to achieve a healthy diet and lifestyle


History of MyPlate



- 1940s: A Guide to Good Eating (Basic Seven)
- 1956-1970: Food for Fitness, A Basic Food Guide (Basic Four)
- 1979: Hassle Free Daily Food Guide
- 1984: Food Wheel- A Pattern for Daily Food Choices




History of MyPlate



■ 1992: Food Guide Pyramid

■ 2005: MyPyramid Food Guidance System



■ 2011: MyPlate

My Plate

- A **comprehensive** nutrition communications initiative
- Meant to serve as a **simple guide** to help consumers choose healthful foods.

Provides visual reminders to help consumers make nutritious food choices and form healthful eating habits consistent with Dietary Guidelines

- Latest update in response to a call to action from the **2010 White House Child Obesity Task Force** to provide simple, useful advice that consumers can easily understand.



ChooseMyPlate.gov

The screenshot shows the SuperTracker website interface. At the top, there is a green header with the SuperTracker logo and the USDA United States Department of Agriculture logo. Below the header is a navigation bar with links for Home, Food-A-Pedia, My Plan, Track Food & Activity, My Reports, My Features, CREATE PROFILE, and LOG IN. The main content area features a large image of a cookie with a baseball bat shape cut out of it. To the right of the image is the text "SuperTracker: My foods. My fitness. My health." followed by three bullet points: "Get your personalized nutrition and physical activity plan.", "Track your foods and physical activities to see how they stack up.", and "Get tips and support to help you make healthier choices and plan ahead." Below this is a "Get Started" section with a "Create Your Profile" button. The bottom of the page contains a footer with various links including ChooseMyPlate.gov, USDA.gov, CNPP, FOIA, Accessibility Statement, Privacy Policy, Non-Discrimination Statement, Information Quality, USA.gov, White House, and COPPA.

SuperTracker:

interactive, online dietary assessment and planning tool based on age, gender and physical activity level

- Provides user-friendly tips and strategies for making smart choices from every food group
- Available in a variety of languages

Multi-Component Approach


- The Individual and family Level
- Communities
 - Food environment
 - Social environment
 - Cultural environment
 - Economics
- Industry and Government
 - Food access in the community
 - Food access at school/worksite/child care
 - Policy



Individual and Family Level

Behavior Change Strategies

- ⦿ Reduce screen time
- ⦿ Reduce frequency of eating out fast food
- ⦿ Increase frequency of family shared meals
- ⦿ Self-monitoring of body weight
- ⦿ Effective food label reading to target healthy food choices



Empower Folks To Make Healthy Shifts

From....	To....
High calorie snacks	Nutrient-dense snacks
Fruit products with added sugar	Fruit
Refined grains	Whole grains
Snacks with added sugars	Unsalted snacks
Solid fats	Oils
Beverages with added sugar	No-added sugar beverages



Motivating Parents to Make Positive Diet and Lifestyle Changes

Dietary Guideline Alliance research found these messages testes best among American families:

- ▣ Know your number
- ▣ Fun stuff counts as exercise
- ▣ Take charge of your weight
- ▣ Small steps = big changes
- ▣ Base your plate on nutrient-rich foods that offer beneficial nutrients and fewer calories
- ▣ You are an important role model for your children



Family Meals



- Promising behavior change strategies to favorably affect a range of health-related outcomes, enhance the effectiveness of interventions
 - Limited studies

Suggest: “frequent consumption of family meals was associated with improved dietary intake, specifically an increase in fruits and/or vegetables, and calcium- rich or milk-based foods”

Communities



- Food environment
 - Facilitate access to healthy food
- Social environment
 - Address nutrition-related health problems (i.e. obesity/overweight, CVD, type 2 DM)
- Cultural environment
 - Immigrants at risk of losing healthier dietary patterns characteristic of their cultural background
- Economics
 - Facilitate access to affordable food

Industry and Government

- Create/modify environmental policies to improve availability and provision of healthy foods and beverages
- Increase opportunity for physical activity
- Increase parent engagement (in child care and school settings)
- Educational approaches
 - i.e. school nutrition curriculum



Part 4: What's Next?

What's Next?



- The 5 year process starts soon for the 2020 DGA

Recommendations for 0-24 months

Beginning in 2020, the *Dietary Guidelines* will address Americans of all ages, starting from birth.

- ▣ Current recommendations for this age group has been extrapolated from adult recommendations
- ▣ Very few studies
- ▣ May not be enough time to get good studies in the next few years.
- ▣ Interesting stuff!



Questions

Connect with me:

- *Website:* TobyAmidorNutrition.com
- *Facebook:* Toby Amidor Nutrition
- *Twitter:* @tobyamidor
- *Instagram:* @tobyamidor



Credit Claiming Instructions

You must complete a brief evaluation of the program in order to obtain your certificate. The evaluation will be available for 1 year; you do not have to complete it today.

Credit Claiming Instructions:

1. Go to www.CE.TodaysDietitian.com/AmidorDGAs **OR** Log in to www.CE.TodaysDietitian.com and go to “My Courses” and click on the webinar title.
2. Click “Take Course” on the webinar description page.
3. Select “Start/Resume Course” to complete and submit the evaluation.
4. Download and print your certificate.

Please Note: If you access the Evaluation between 3-4 pm ET on 1/12, you may experience a slow connection due to a high volume of users.