

Reference List

A Sound Mind in a Sound Body: The Impact of Nutrition and Cognition

by Sangeeta Pradhan, RD, LDN, CDE

References:

1. Bravo JA, Forsythe P, Chew MV, et al. Ingestion of Lactobacillus strain regulates emotional behavior and central GABA receptor expression in a mouse via the vagus nerve. *Proc Natl Acad Sci U S A*. 2011;108(38):16050-16055.
2. Meek TH, Wisse BE, Thaler JP, et al. BDNF action in the brain attenuates diabetic hyperglycemia via insulin-independent inhibition of hepatic glucose production. *Diabetes*. 2013;62(5):1512-1518.
3. Rosa-Vargas H, Martínez-Ezquerro JD, Bienvenu T. Brain-derived neurotrophic factor, food intake regulation, and obesity. *Arch Med Res*. 2011;42(6):482-494
4. Molteni R, Barnard RJ, Ying Z, Roberts CK, Gómez-Pinilla F. A high-fat, refined sugar diet reduces hippocampal brain-derived neurotrophic factor, neuronal plasticity, and learning. *Neuroscience*. 2002;112(4):803-814.
5. Gomez-Pinilla F. The influences of diet and exercise on mental health through hormesis. *Ageing Res Rev*. 2008;7(1):49-62.
6. Bourassa MW, Alim I, Bultman SJ, Ratan RR. Butyrate, neuroepigenetics and the gut microbiome: can a high fiber diet improve brain health? *Neurosci Lett*. 2016;625:56-63.
7. Parletta N, Milte CM, Meyer BJ. Nutritional modulation of cognitive function and mental health. *J Nutr Biochem*. 2013;24(5):725-743.
8. Gómez-Pinilla F. Brain foods: the effects of nutrients on brain function. *Nat Rev Neurosci*. 2008;9(7):568-578.
9. Ringman JM, Frautschy SA, Teng E, et al, Oral curcumin for Alzheimer's disease: tolerability and efficacy in a 24-week randomized, double blind, placebo-controlled study. *Alzheimers Res Ther*. 2012;4(5):43.
10. Winter B, Breitenstein C, Mooren FC, et al. High impact running improves learning. *Neurobiol Learn Mem*. 2007;87(4):597-609.
11. Franco-Robles E, Campos-Cervantes A, Murillo-Ortiz BO, et al. Effects of curcumin on brain-derived neurotrophic factor levels and oxidative damage in obesity and diabetes. *Appl Physiol Nutr Metab*. 2014;39(2):211-218.
12. Li C, Cai YY, Yan ZX. Brain-derived neurotrophic factor preserves intestinal mucosal barrier function and alters gut microbiota in mice. *Kaohsiung J Med Sci*. 2018;34(3):134-141.
13. Fernandes BS, Gama CS, Ceresér KM, et al. Brain-derived neurotrophic factor as a state-marker of mood episodes in bipolar disorders: a systematic review and meta-regression analysis. *J Psychiatr Res*. 2011;45(8):995-1004.
14. Leung K, Thuret S. Gut microbiota: a modulator of brain plasticity and cognitive function in ageing. *Healthcare (Basel)*. 2015;3(4):898-916.

15. Mayer EA, Knight R, Mazmanian SK, Cryan JF, Tillisch K. Gut microbes and the brain: paradigm shift in neuroscience. *J Neurosci*. 2014;34(46):15490-15496.
16. Wall R, Cryan JF, Ross RP, Fitzgerald GF, Dinan TG, Stanton C. Bacterial neuroactive compounds produced by psychobiotics. *Adv Exp Med Biol*. 2014;817:221-39.
17. Messaoudi M, Lalonde R, Violle N, et al. Assessment of psychotropic-like properties of a probiotic formulation (Lactobacillus helveticus R0052 and Bifidobacterium longum R0175) in rats and human subjects. *Br J Nutr*. 2011;105(5):755-764.
18. Steenbergen L, Sellaro R, van Hemert S, Bosch JA, Colzato LS. A randomized controlled trial to test the effect of multispecies probiotics on cognitive reactivity to sad mood. *Brain Behav Immun*. 2015;48:258-264.
19. Martin CR, Osadchiy V, Kalani A, Mayer EA. The brain-gut-microbiome axis. *Cell Mol Gastroenterol Hepatol*. 2018;6(2):133-148.
20. Ennis C. Epigenetics 101: a beginner's guide to explaining everything. *The Guardian*. April 25, 2014. <https://www.theguardian.com/science/occams-corner/2014/apr/25/epigenetics-beginners-guide-to-everything>
21. Morris MC, Evans DA, Bienias JL, et al. Consumption of fish and n-3 fatty acids and risk of incident Alzheimer disease. *Arch Neurol*. 2003;60(7):940-946.
22. Quinn JF, Raman R, Thomas RG, et al. Docosahexaenoic acid supplementation and cognitive decline in Alzheimer disease, a randomized trial. *JAMA*. 2010;304(17):1903-1911.
23. Foster JA, McVey Neufeld KA. Gut-brain axis: how the microbiome influences anxiety and depression. *Trends Neurosci*. 2013;36(5):305-312.
24. Yassine HN, Braskie MN, Mack WJ, et al. Association of docosahexaenoic acid supplementation with Alzheimer disease stage in apolipoprotein e ϵ 4 carriers: a review. *JAMA Neurol*. 2017;74(3):339-347.
25. Wu A, Ying Z, Gomez-Pinilla F. Dietary curcumin counteracts the outcome of traumatic brain injury on oxidative stress, synaptic plasticity, and cognition. *Exp Neurol*. 2006;197(2):309-317.
26. Ghosh HS. Adult neurogenesis and the promise of adult neural stem cells. *J Exp Neurosci*. 2019;13:1179069519856876.
27. Corrada MM, Kawas CH, Hallfrisch J, Muller D, Brookmeyer R. Reduced risk of Alzheimer's disease with high folate intake: the Baltimore Longitudinal Study of Aging. *Alzheimers Dement*. 2005;1(1):11-18
28. Sánchez-Villegas A, Galbete C, Martínez-González MA, et al. The effect of the Mediterranean diet on plasma brain-derived neurotrophic factor (BDNF) levels: the PREDIMED-NAVARRA randomized trial. *Nutr Neurosci*. 2011;14(5):195-201.

29. Skarupski KA, Tangney CC, Li H, Evans DA, Morris MC. Mediterranean diet and depressive symptoms among older adults over time. *J Nutr Health Aging*. 2013;17(5):441-445.
30. Blumenthal JA, Babyak MA, Moore KA, et al. Effects of exercise training on older patients with major depression. *Arch Intern Med*. 1999;159(19):2349-2356.
31. Sleiman SF, Henry J, Al-Haddad R, et al. Exercise promotes the expression of brain derived neurotrophic factor (BDNF) through the action of the ketone body β -hydroxybutyrate. *Elife*. 2016;5:e15092
32. Yano JM, Yu K, Donaldson GP, et al. Indigenous bacteria from the gut microbiota regulate host serotonin biosynthesis. *Cell*. 2015;161(2):264-276.
33. Rhee SH, Pothoulakis C, Mayer EA. Principles and clinical implications of the brain-gut-enteric microbiota axis. *Nat Rev Gastroenterol Hepatol*. 2009;6(5):306-314.
34. Huang R, Wang K, Hu J. Effect of probiotics on depression: a systematic review and meta-analysis of randomized controlled trials. *Nutrients*. 2016;8(8):E483.
35. Hashimoto K, Shimizu E, Iyo M. Critical role of brain-derived neurotrophic factor in mood disorders. *Brain Res Brain Res Rev*. 2004;45(2):104-114.
36. Linnarsson S, Björklund A, Ernfors P. Learning deficit in BDNF mutant mice. *Eur J Neurosci*. 1997;9(12):2581-2587.
37. Zhu W, Chi N, Zou P, Chen H, Tang G, Zhao W. Effects of docosahexaenoic on traumatic brain injury in rats. *Exp Ther Med*. 2017;14(5):4411-4416.
38. Wu A, Ying Z, Gomez-Pinilla F. Vitamin E protects against oxidative damage and learning disability after mild traumatic brain injury in rats. *Neurorehabil Neural Repair*. 2010;24(3):290-298.
39. van Praag H, Lucero MJ, Yeo GW, et al. Plant-derived flavanol (-)epicatechin enhances angiogenesis and retention of spatial memory in mice. *J Neurosci*. 2007;27(22):5869-5878.
40. Rendeiro C, Vauzour D, Kean RJ, et al. Blueberry supplementation induces spatial memory improvements and region-specific regulation of hippocampal BDNF mRNA expression in young rats. *Psychopharmacology (Berl)*. 2012;223(3):319-330.
41. Lee J, Seroogy KB, Mattson MP. Dietary restriction enhances neurotrophin expression and neurogenesis in the hippocampus of adult mice. *J Neurochem*. 2002;80(3):539-547.
42. Schmolesky MT, Webb DL, Hansen RA. The effects of aerobic exercise intensity and duration on levels of brain-derived neurotrophic factor in healthy men. *J Sports Sci Med*. 2013;12(3):502-551.
43. Araya AV, Orellana X, Espinoza J. Evaluation of the effect of caloric restriction in serum BDNF in overweight and obese subjects: preliminary evidences. *Endocrine*. 2008;33(3):300-304.

44. Batista CRA, Gomes GF, Canelario-Jalil E, Fiebich BL, de Oliveira ACP. Lipopolysaccharide-induced neuroinflammation as a bridge to understand neurodegeneration. *Int J Mol Sci.* 2019;20(9):E2293.
45. Akter K, Lanza EA, Martin SA, Myronyuk N, Rua M, Raffa RB. Diabetes mellitus and Alzheimer's disease: shared pathology and treatment? *Br J Clin Pharmacol.* 2011;71(3):365-376.